















# Groty Weller – Seria LT

Rysunek	Typ	Szerokość A	Grubość B	Długość
<p>Grot śrubokrętowy</p> 	LT-H	0,8	0,4	12,5
	LT-A	1,6	0,7	12,5
	LT-B	2,4	0,8	12,5
	LT-C	3,2	0,8	12,5
	LT-D	4,6	0,8	12,5
<p>Grot śrubokrętowy długi</p> 	LT-K	1,2	0,4	20,0
	LT-L	2,0	1,0	20,0
	LT-M	3,2	1,2	20,0
<p>Grot zagięty</p> 	LT-HX	0,8	0,4	17,0
	LT-ALX	1,6	0,7	17,0
	LT-BX	2,4	0,8	17,0
<p>Grot igłowy</p> 	LT-1S	0,2		15,0
	LT-1SA	0,5		15,0
<p>Grot stożkowy</p> 	LT-1	0,25		12,5
	LT-1A	0,5		13,0
	LT-AS	1,6		12,5
	LT-CS	3,2		12,5
<p>Grot igłowy zagięty</p> 	LT-1SLX	2,0	0,4	20,5

Grot stożkowy zagięty 	LT-4X	1,2	0,4	16,5
	LT-MX	3,2	0,8	19,3
	LT-1X	0,4		12,5
Grot stożkowy 	LT-4	1,2		15,0
Grot stożkowy 	LT-F	1,2		12,5
Grot ścięty 	LT-AA	1,6	4,0	13,0
	LT-BB	2,4	4,0	18,0
	LT-CC	3,2	6,0	18,0
	LT-DD	4,6	6,0	20,0
Grot stożkowy długi 	LT-1L	0,2		26,4
	LT-S	0,4		21,0
	LT-T	0,6		13,0
	LT-O	0,8		17,0
Grot stożkowy zagięty 	LT-1LX	0,2		25,0
Grot - minifala do elementów SMD 	LT-GW	2,3	3,2	18,0
Grot nożowy 	LT-KN	6,2		16,5